

Goat anti-Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 633


Product Details	
Size	1 mg
Species Reactivity	Chicken
Host/Isotype	Goat / IgG
Class	Polyclonal
Type	Secondary Antibody
Conjugate	Alexa Fluor™ 633
Excitation/Emission Max	631/650 nm
Immunogen	Gamma Immunoglobins Heavy and Light chains
Form	Liquid
Concentration	2 mg/mL
Purification	purified
Storage buffer	PBS, pH 7.5
Contains	5mM sodium azide
Storage conditions	4° C, store in dark
RRID	AB_2535756

Applications	Tested Dilution	Publications
Western Blot (WB)	1:5,000-1:10,000	-
Immunohistochemistry (IHC)	1-10 µg/mL	0 Publication
Immunocytochemistry (ICC/IF)	1-10 µg/mL	0 Publication
Miscellaneous PubMed (Misc)	-	0 Publication


Product Specific Information

Fluorescence of this long-wavelength Alexa Fluor dye is not visible to the human eye but is readily detected by most imaging systems.


Product will be shipped at Room Temperature.



Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody (A-21103)
Specificity of secondary antibody was demonstrated by specific detection of the target immunoglobulin. Antibody specificity was demonstrated by specific detection of Chicken IgY. A band at ~ 68 kDa corresponding to Chicken IgY Heavy Chain was observed in Chicken IgY but not in other species using Goat anti-Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 633 (Product # A-21103) in Western Blot. {RE}



Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody (A-21103) in WB
Multiplexed fluorescent western blot was performed using Goat anti-Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 633 (Product # A-21103). Whole cell extracts of MCF10A (Lane 1, 2, 3), SH-SY5Y (Lane 4, 5, 6), HaCaT (Lane 7, 8, 9) MCF7 (Lane 10) and HeLa (Lane 11) were electrophoresed usingNuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP0322BOX). Resolved proteins were transferred onto nitrocellulose membrane (Product # IB23001) byiBlot® 2 Dry BlottingSystem (Product # IB21001). The blot was probed with Vimentin Polyclonal Antibody (Product # PA1-10003), Cytokeratin 5 Polyclonal Antibody (Product # PA5-32465), and GAPDH Loading Control Monoclonal Antibody (GA1R) (Product # MA5-15738). Secondary antibodies (Product # A-21103, 1:10,000 dilution), (Product # A-21077, 1:20,000 dilution), and (Product # A32766, 1:10,000 dilution) were used for detection of Vimentin, Cytokeratin 5, and GAPDH respectively. Fluorescent detection was performed usingiBright™ FL1500 (Product # A44115). The anti-chicken secondary antibody (Product # A-21103) specifically detects the chicken primary antibody.



Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody (A-21103) in WB
Western blot was performed using Goat anti-Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 633 (Product # A-21103) and a 67 kDa bandcorresponding to Chicken IgY Heavy Chain was observed in Chicken IgY but not in Rabbit IgG, Goat IgG, Rat IgG, Sheep IgG, Mouse IgG, Mouse IgM, Human IgG and Human IgM. Purified protein (100 ng) of Rabbit IgG(Lane 1), Goat IgG (Lane 2), Chicken IgY (Lane 3), Rat IgG (Lane 4), Sheep IgG (Lane 5), Mouse IgG (Lane 6), Mouse IgM (Lane 7), Human IgG (Lane 8), and Human IgM (Lane 9) wereelectrophoresed usingNuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP0321BOX). Resolved proteins were then transferred onto a nitrocellulose membrane(Product # IB23001) byiBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with Goat anti-Chicken IgY (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 633 (Product # A-21103, 1: 5000 dilution) and detected using theiBright™ FL1500 (Product # A44115). Silver staining was performed to establish equivalent loading of purified proteins using the Pierce™ Silver Stain Kit (Product # 24612) (Fig b).

Neonatal infection with Bordetella pertussis promotes autism-like phenotypes in mice. iScience (2025)

The Effect of Donepezil Hydrochloride in the Twitcher Mouse Model of Krabbe Disease. Mol Neurobiol (2024)

Lead as a toxic environmental toxicant in models of synucleinopathies bioRxiv (2024)

Novel RPTP and RPTP splice variants from mixed neuron-astrocyte hippocampal cultures as well as from the hippocampi of newborn and adult mice. Front Physiol (2024)

The Effects of Locus Coeruleus Optogenetic Stimulation on Global Spatiotemporal Patterns in Rats bioRxiv (2024)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.