



CD11b Monoclonal Antibody (M1/70), FITC, eBioscience™

Product Details		
Size	100 μg	
Species Reactivity	Mouse	
Published Species	Ferret, Yeast, Hamster, Mouse, Human	
Host/Isotype	Rat / IgG2b, kappa	
Recommended Isotype Control	Rat IgG2b kappa Isotype Control (eB149/10H5), FITC, eBioscience™	
Class	Monoclonal	
Туре	Antibody	
Clone	M1/70	
Conjugate	FITC	
Excitation/Emission Max	498/517 nm	
Form	Liquid	
Concentration	0.5 mg/mL	
Purification	Affinity chromatography	
Storage buffer	PBS, pH 7.2	
Contains	0.09% sodium azide	
Storage conditions	4° C, store in dark, DO NOT FREEZE!	
RRID	AB_464935	

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	-	4 Publications
Immunohistochemistry (Frozen) (IHC (F))	-	2 Publications
Flow Cytometry (Flow)	0.5 µg/test	208 Publications
Neutralization (Neu)	-	1 Publication

Product Specific Information

Description: The M1/70 monoclonal antibody reacts with mouse CD11b, the 165-170 kDa integrin alphaM. CD11b noncovalently associates with CD18 to form alphaMbeta2 integrin (Mac-1) and binds to CD54 (ICAM-1), C3bi, and fibrinogen. Mac-1 is expressed by macrophages, NK cells, granulocytes, activated lymphocytes and mouse B-1 cells in the peritoneal cavity. M1/70 is also cross-reactive to human CD11b, and can be used for the detection of this antigen on human peripheral blood monocytes, granulocytes, and a subset of NK cells. Through interactions with its ligands, CD11b participates in adhesive cell interactions.


Applications Reported: The M1/70 antibody has been reported for use in flow cytometric analysis.

Applications Tested: Has been tested by flow cytometric analysis of mouse splenocytes and bone marrow cells. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For CD11b Monoclonal Antibody (M1/70), FITC, eBioscience™



CD11b Antibody (11-0112-82) in Flow

Staining of mouse bone marrow cells with 0.25 μg of Rat IgG2b K Isotype Control FITC (Product # 11-4031-82) (blue histogram) or 0.25 μg of Anti-Mouse CD11b FITC (purple histogram). Cells in the large scatter population were used for analysis.

□ 215 References

Immunohistochemistry (4)

NPJ Regenerative medicine

Differential activation of Ca²⁺ influx channels modulate stem cell potency, their proliferation/viability and tissue regeneration.

"11-0112-82 was used in Immunohistochemistry to establish the molecular identity of the calcium channel in MSCs and also show their role in modulating stem cell function."

Authors: Ahamad N,Sun Y,Nascimento Da Conceicao V,Xavier Paul Ezhilan CRD,Natarajan M,Singh BB

Year 2021

Species Mouse

Immunity

Blockade of the Phagocytic Receptor MerTK on Tumor-Associated Macrophages Enhances P2X7R-Dependent STING Activation by Tumor-Derived cGAMP.

"11-0112-82 was used in Immunohistochemistry, Flow Cytometry to examine the effect of blocking apoptotic cell clearance on anti-tumor immune response."

Authors: Zhou Y,Fei M,Zhang G,Liang WC,Lin W,Wu Y,Piskol R,Ridgway J,McNamara E,Huang H,Zhang J,Oh J,Patel JM,Jakubiak D,Lau J,Blackwood B,Bravo DD,Shi Y,Wang J,Hu HM,Lee WP,Jesudason R,Sangaraju D,Modrusan Z, Anderson KR,Warming S,Roose-Girma M,Yan M

Year 2020

Species Mouse

View more IHC references on thermofisher.cn

Immunohistochemistry (Frozen) (2)

Materials (Basel, Switzerland)

Silver Nanoparticles Inhibit Metastasis of 4T1 Tumor in Mice after Intragastric but Not Intravenous Administration.

"11-0112-82 was used in Immunohistochemistry (Frozen) to support the previous findings that antitumor AgNPs activity may depend on the activation of the immune system and not on the direct action of AgNPs on cancer cells."

Authors: Brzóska K,Wojewódzka M,Szczygiel M,Drza A,Sniegocka M,Michalczyk-Wetula D,Biela E,Elas M,Kuciska M, Piotrowska-Kempisty H,Kapka-Skrzypczak L,Murias M,Urbaska K,Kruszewski M

Year 2022

Species Mouse

Cancer science

Cancer-associated fibroblast-targeted strategy enhances antitumor immune responses in dendritic cell-based vaccine.

"11-0112 was used in Flow cytometry/Cell sorting to study the immunosuppressive trait of CAFs, and systematically explore the alteration of tumour-associated immune responses by CAF-targeted therapy."

Authors: Ohshio Y,Teramoto K,Hanaoka J,Tezuka N,Itoh Y,Asai T,Daigo Y,Ogasawara K

Year 2015

Species Mouse

More applications with references on thermofisher.cn

Flow (208)

Neu (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications represent this subjected to mormal, proper and intended usage. This warranty provided herein is subjected by EPA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is more of the provided herein is subjected to mormal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERFIDIO IS LIMITED. ACCESS ON THE PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.