

# CD45 Monoclonal Antibody (30-F11), FITC, eBioscience™

Product Details	
Size	500 µg
Species Reactivity	Mouse
Published Species	Rat, Mouse, Human, Horse
Host/Isotype	Rat / IgG2b, kappa
Recommended Isotype Control	Rat IgG2b kappa Isotype Control (eB149/10H5), FITC, eBioscience™
Class	Monoclonal
Type	Antibody
Clone	30-F11
Conjugate	FITC
Excitation/Emission Max	498/517 nm
Form	Liquid
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_465051

Applications	Tested Dilution	Publications
Western Blot (WB)	-	1 Publication
Immunohistochemistry (IHC)	-	41 Publications
Immunohistochemistry (Paraffin) (IHC (P))	-	1 Publication
Immunohistochemistry (PFA fixed) (IHC (PFA))	-	1 Publication
Immunohistochemistry (Frozen) (IHC (F))	-	6 Publications
Immunocytochemistry (ICC/IF)	-	10 Publications
Flow Cytometry (Flow)	0.5 µg/test	375 Publications
Miscellaneous PubMed (Misc)	-	1 Publication

## Product Specific Information

**Description:** The 30-F11 monoclonal antibody reacts with all isoforms of mouse CD45, also known as Leukocyte Common Antigen (LCA). CD45 is expressed by all hematopoietic cells excluding mature erythrocytes and platelets. The cytoplasmic portion of CD45 has tyrosine phosphatase enzymatic activity and plays an important role in activation of lymphocytes.


**Applications Reported:** The 30-F11 antibody has been reported for use in flow cytometric analysis.

**Applications Tested:** The 30-F11 antibody has been tested by flow cytometric analysis of mouse bone marrow cells. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10<sup>5</sup> to 10<sup>8</sup> cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

## Product Images For CD45 Monoclonal Antibody (30-F11), FITC, eBioscience™



### CD45 Antibody (11-0451-85) in Flow

C57BL/6 mouse splenocytes were stained with TER-119 Monoclonal Antibody, APC (Product # 17-5921-82) and 0.125 µg of Rat IgG2b kappa Isotype Control, FITC (Product # 11-4031-85) (left) or 0.125 µg of CD45 Monoclonal Antibody, FITC (right). Cells in the lymphocyte gate were used for analysis.

[View more figures on thermofisher.cn](http://thermofisher.cn)

## Western Blot (1)

Biomedicines

### Early Adolescence Prefrontal Cortex Alterations in Female Rats Lacking Dopamine Transporter.

"Published figure using CD45 monoclonal antibody (Product # 11-0451-82) in Western Blot"  
 Authors: Illiano P, Leo D, Gainetdinov RR, Pardo M

Year  
2021

## Immunohistochemistry (41)

Cancer research communications

### Toll-like Receptor Signaling-deficient Cells Enhance Antitumor Activity of Cell-based Immunotherapy by Increasing Tumor Homing.

"Published figure using CD45 monoclonal antibody (Product # 11-0451-82) in Immunohistochemistry"  
 Authors: Morales-Molina A, Rodriguez-Milla MÁ, Gambera S, Cejalvo T, de Andrés B, Gaspar ML, García-Castro J

Year  
2023

Cellular and molecular gastroenterology and hepatology

### A Point Mutation R122C in RUNX3 Promotes the Expansion of Isthmus Stem Cells and Inhibits Their Differentiation in the Stomach.

"Published figure using CD45 monoclonal antibody (Product # 11-0451-82) in Immunohistochemistry"  
 Authors: Douchi D, Yamamura A, Matsuo J, Lee JW, Nuttonmanit N, Melissa Lim YH, Suda K, Shimura M, Chen S, Pang S, Kohu K, Kaneko M, Kiyonari H, Kaneda A, Yoshida H, Taniuchi I, Osato M, Yang H, Unno M, Bok-Yan So J, Yeoh KG, Chuang LSH, Bae SC, Ito Y

Year  
2022

[View more IHC references on thermofisher.cn](#)

## Immunohistochemistry (Paraffin) (1)

The Journal of clinical investigation

### GPR92 activation in islet macrophages controls cell function in a diet-induced obesity model.

"Published figure using CD45 monoclonal antibody (Product # 11-0451-82) in Flow Cytometry"  
 Authors: de Souza CO, Paschoal VA, Sun X, Vishvanath L, Zhang Q, Shao M, Onodera T, Chen S, Joffin N, Bueno LM, Gupta RK, Oh DY

Year  
2022

Species  
Mouse

## More applications with references on thermofisher.cn

- IHC (PFA) (1)
- IHC (F) (6)
- ICC/IF (10)
- Flow (375)
- Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.