

# Mouse IgG1 kappa Isotype Control (P3.6.2.8.1), FITC, eBioscience™

<b>Product Details</b>	
Size	100 μg
Host/Isotype	Mouse / IgG1, kappa
Class	Monoclonal
Туре	Isotype Control
Clone	P3.6.2.8.1
Conjugate	FITC
Excitation/Emission Max	498/517 nm
Form	Liquid
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_470022

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	Assay-Dependent	-
Immunocytochemistry (ICC/IF)	Assay-Dependent	0 Publication
Flow Cytometry (Flow)	Assay-Dependent	0 Publication
Control (Ctrl)	Assay-Dependent	0 Publication

### **Product Specific Information**

Description: The monoclonal mouse IgG1 K immunoglobulin is useful as an isotype control.


Applications Reported: FITC Mouse IgG1 K Isotype Control has been reported for use in immunocytochemistry, immunohistochemistry, and flow cytometric analysis.


Applications Tested: This Mouse IgG1 K Isotype Control can be used at the same concentration as the experimental antibody.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.


## Product Images For Mouse IgG1 kappa Isotype Control (P3.6.2.8.1), FITC, eBioscience™






## Mouse IgG1 kappa Isotype Control (11-4714-82) in Flow

Normal human peripheral blood cells were stimulated for 4 hours with LPS (Product # 00-4976-03) in the presence of Brefeldin A (Product # 00-4506-51). Cells were then surface stained with CD14 Monoclonal Antibody, APC (Product # 17-0149-42), followed by intracellular staining using the Intracellular Fixation & Permeabilization Buffer Set (Product # 88-8824-00) and protocol, with and Mouse IgG1 kappa Isotype Control, FITC (Product # 11-4714-82) (left) or CRM56 Monoclonal Antibody, FITC (right). Cells in the monocyte gate were used for analysis.



#### Mouse IgG1 kappa Isotype Control (11-4714-82) in Flow

C57BL/6 mouse splenocytes were stained intracellularly, using the Foxp3 /Transcription Factor Staining Buffer Set (Product # 00-5523-00) and protocol, with 1.0 µg of Mouse IgG1 kappa Isotype Control, PE (Product # 11-4714-82) (blue histogram) or 1.0 µg of ID2 Monoclonal Antibody, PE (purple histogram). Splenocytes within the lymphocyte gate positive for NK1.1 Monoclonal Antibody, APC (Product # 17-5941-82) and CD49b Monoclonal Antibody, APC (Product # 17-5971-82) were used for analysis.



## Mouse IgG1 kappa Isotype Control (11-4714-82) in Flow

Normal human peripheral blood cells were stained with CD11b Monoclonal Antibody, APC (Product # 17-0118-42) and Mouse IgG1 kappa Isotype Control, FITC (Product # 11-4714-82) (left) or CD85j Monoclonal Antibody, FITC (right). Cells in the monocyte gate were used for analysis.

View more figures on thermofisher.cn

#### **□ 96 References**

Human CFTR deficient iPSC-macrophages reveal impaired functional and transcriptomic response upon Pseudomonas aeruginosa infection. Front Immunol (2024)

Cytosolic N-terminal formyl-methionine deformylation derives cancer stem cell features and tumor progression. Sci Rep (2024)

A high-throughput lysosome trafficking assay guides ligand selection and elucidates differences in CD22-targeted nanodelivery. Sci Technol Adv Mater (2024)

Nucleolar protein TAAP1/C22orf46 confers pro-survival signaling in non-small cell lung cancer. Life Sci Alliance (2024)

3D printed PLGA/MgO/PDA composite scaffold by low-temperature deposition manufacturing for bone tissue engineering applications. Regen Ther (2023)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production of source appearance or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production specifications and/or accompanying package inserts. (Pocumentation\*), No claim of suitability for use in applications regulated by EDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, the warranty is important to the product it subspiced to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample unmished to Buyer is merely illustrative of the general pand quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING HE WARRANTY PERFIOI DIS LIMITED. OR PEAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION. THERE IS NO BUIGATION TO REPLIA, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION. THERE IS NO BUIGATION TO REPLIA, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION. THERE IS NO BUIGATION TO REPLIA, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION. THERE IS NO BUIGATION TO REPLIA, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for re