



Rabbit anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 680

Product Details	
Size	1 mg
Species Reactivity	Mouse
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Type	Secondary Antibody
Conjugate	Alexa Fluor™ 680
Excitation/Emission Max	681/704 nm
Immunogen	Gamma Immunoglobins Heavy and Light chains
Form	Liquid
Concentration	2 mg/mL
Purification	purified
Storage buffer	PBS, pH 7.5
Contains	5mM sodium azide
Storage conditions	4°C, store in dark
RRID	AB_2535728

Applications	Tested Dilution	Publications
Western Blot (WB)	1:5,000-1:50,000	0 Publication
Immunocytochemistry (ICC/IF)	1-10 µg/mL	-
Miscellaneous PubMed (Misc)	-	0 Publication


Product Specific Information

This secondary antibody is designed for fluorescent Western blot detection on various near-infrared fluorescence instruments. This antibody can be used for multi-color and multiplexing detection when using other antibodies conjugated to compatible Alexa Fluor™ dyes and wavelengths. Other applications of this antibody include immunofluorescent and fluorescent imaging applications when using instrumentation with appropriate excitation and detection capabilities.

Product will be shipped at Room Temperature.


Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody (A-21065) in WB

Multiplexed fluorescent western blot was performed using Rabbit anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 680 (Product # A-21065). Whole cell extracts of A-431 (Lane 1, 2, 3), HaCaT (Lane 4, 5, 6), SH-SY5Y (Lane 7), HeLa (Lane 8) and MCF7 (Lane 9) were electrophoresed using NuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP03221BOX). Resolved proteins were transferred onto nitrocellulose membrane (Product # IB23001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with Cytokeratin 5 Monoclonal Antibody (3E2F1) (Product # MA5-15347), and HSP70 Polyclonal Antibody (Product # PA5-32446). Secondary antibodies (Product # A-21065, 1:30000 dilution), and (Product # SA5-35571, 1:10000 dilution) were used for detection of Cytokeratin 5, and HSP70 respectively. Fluorescent detection was performed using iBrightFL1500 (Product # A44115). The anti-mouse secondary antibody (Product # A-21065) specifically detects the mouse primary antibody.




Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody (A-21065) in WB

Western blot analysis was performed on whole cell extracts (30 µg lysate) of U-87 MG (Lane 1) and HeLa (Lane 2). The blots were probed with Anti-SOD1 Mouse Monoclonal Antibody (Product # MA1-105, 2 µg/mL) and detected using Rabbit-anti Mouse IgG Cross Adsorbed Secondary Antibody Alexa Fluor-680 (Product # A-21065) at dilutions 0.04 µg/mL (Fig. 1), 0.1 µg/mL (Fig. 2) and 0.2 µg/mL (Fig. 3). A 18 kDa band corresponding to SOD1 was observed. Known quantity of protein samples were electrophoresed using Novex® NuPAGE®12 % Bis-Tris gel (Product # NP0342BOX), XCell SureLock™ Electrophoresis System (Product # EI0002) and Novex® Sharp Pre-Stained Protein Standard (Product # LC5800). Resolved proteins were then transferred onto a nitrocellulose membrane with iBlot® 2 Dry Blotting System (Product # IB21001). The membrane was probed with the relevant primary and secondary antibody after blocking with 5 % skimmed milk. Fluorescent detection was performed using the Odyssey® Fc imaging system (Li-cor Biosciences).



Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody (A-21065) in WB

Western blot was performed using Rabbit anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 680 (Product # A-21065) and ~55, 25 kDa bands corresponding to Mouse IgG Heavy Chain and Light chain respectively were observed in Mouse IgG, Mouse IgG1, Mouse IgG2a, Mouse IgG2b but not in Mouse IgG3, Mouse IgM, Rabbit IgG, Goat IgG, Chicken IgY, and Human IgG. Purified protein (100 ng) of Mouse IgG (Lane 1), Mouse IgG1 (Lane 2), Mouse IgG2a (Lane 3), Mouse IgG2b (Lane 4), Mouse IgG3 (Lane 5), Mouse IgM (Lane 6), Rabbit IgG (Lane 7), Goat IgG (Lane 8), Chicken IgY (Lane 9), Rat IgG (Lane 10), Human IgG (Lane 11) were electrophoresed using NuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP0322BOX). Resolved proteins were then transferred onto a nitrocellulose membrane (Product # IB23001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with Rabbit anti-Mouse IgG (H+L) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 680 (Product # A-21065, 1:5000 dilution) and detected using the iBrightFL1500 (Product # A44115). Silver staining was performed to establish equivalent loading of purified proteins using the Pierce™ Silver Stain Kit (Product # 24612) (Fig b). The antibody showed cross reactivity with Rat IgG.



12 References

- Nanoparticle-mediated targeting of PGC-1 reveals critical metabolic pathways in bladder cancer metastasis. *Commun Biol* (2025)
- Total propagation of yeast prion conformers in ssz1 upf1 Hsp104T160M triple mutants. *Curr Genet* (2025)
- ptARgenOM-A Flexible Vector For CRISPR/CAS9 Nonviral Delivery. *Small Methods* (2023)
- Multisite phosphorylation by Cdk1 initiates delayed negative feedback to control mitotic transcription. *Curr Biol* (2022)
- Early-life conditioning strategies to reduce dietary phosphorus in broilers: underlying mechanisms. *J Nutr Sci* (2020)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.